



Independent Equipment Testing

Client: Lost Golf Balls

Comments:

Date: March 17, 2014

Test: Ball

Time: 11:13 A.M. - 12:36 P.M.

Equipment Info.

Ball: Pro V1 2013 (New)
Club: Taylor Made
Head: 10.5° R9
Shaft: Graphite Design

Robot Parameters

Amps: 30
Initial Percent: 60
Ramp Distance: 47
Release Point: 160
Lie Angle: 54
Tee Table Position: 12

Weather

Temp: 70° - 76°
Wind: 1-8 mph
Direction: Head
Humidity: 67% - 47%
Bar: 29.96 - 29.90
Ground Cond.: Soft & damp
Weather Cond: Clear & cool

Legend

A/A Attack Angle-Degrees
Club Path Degrees
Vert. SP Vertical Swing Plane-Degrees
Horiz. SP Horizontal Swing Plane-Degrees
Dyn. Loft Dynamic Loft-Degrees
F/A Face Angle-Degrees
H/S Head Speed-MPH
B/S Ball Speed-MPH
Ratio Ratio of Ball Speed to Head Speed
L/A Launch Angle-Degrees
H L/A Horizontal Launch Angle-Degrees
Spin BackSpin-RPM

Spin Axis Side Spin Rotation
Max. Hght Dr. Down Range Distance Ball Reaches Peak-Yards
Max Height Yards
Vert. Land Descent Angle of Golf Ball-Degrees
B/S Ball Velocity at Impact-MPH
F Time Flight Time of Ball-Seconds
C-Disp Carry Dispersion (Ball Landing)-Feet
C-Dist Carry Distance (Ball Landing)-Yards

Swing Data

Launch Data

Flight Data

Descent Data

Landing Data

Wind

Center Hit#	A/A	Club Path	Vert. SP	Horiz. SP	Dyn. Loft	F/A	H/S	B/S	Ratio	L/A	H L/A	SPIN	SPIN AXIS	MAX HGHT DR.	MAX HGHT	VERT. LAND	B/S	F TIME	C-DISP	C-DIST	VEL	DIR
1	-1.1	-1.2	53.5	-2.0	13.8	0.3	93.6	138.8	1.5	11.4	0.1	3269.0	1.5	140.7	24.9	36.7	58.3	6.0	14	225	3	H
2	-0.9	-1.5	54.1	-2.1	13.2	0.3	94.5	140.0	1.5	10.7	0.0	3132.6	0.3	145.2	27.5	39.2	54.2	6.4	-1	225	3	H
3	-0.9	-1.4	53.8	-2.0	13.1	-0.6	94.3	139.7	1.5	10.7	-0.8	3369.9	1.9	142.1	26.2	39.6	56.7	6.1	3	220	2	H
4	-1.9	-0.5	53.7	-1.9	13.5	1.3	94.4	140.7	1.5	11.2	1.0	3249.8	-0.7	143.6	26.3	38.0	58.3	6.1	3	225	3	H
5	-1.5	-0.6	53.9	-1.7	13.8	0.4	94.0	139.6	1.5	11.6	0.3	3147.2	0.8	140.0	25.6	37.4	59.4	5.9	7	225	3	H
6	-1.1	-1.3	53.6	-2.1	13.1	0.1	94.4	139.9	1.5	10.7	-0.1	3394.4	2.1	141.1	24.0	36.1	59.6	5.8	9	222	3	H
7	-1.4	-1.0	54.5	-2.0	14.7	0.0	93.8	139.1	1.5	10.9	-0.3	3018.0	0.3	139.6	24.9	37.1	58.0	5.9	15	217	4	H
8	-1.7	-0.6	53.9	-1.8	13.8	1.0	94.3	139.7	1.5	11.4	0.7	3360.6	0.7	141.2	25.8	37.3	59.3	6.0	4	221	4	H
9	-2.0	-0.6	54.0	-2.0	13.4	-0.2	94.3	139.6	1.5	10.9	-0.3	3169.9	0.8	145.0	28.4	41.3	59.2	6.2	3	213	3	H
10	-1.3	-1.0	53.8	-1.9	13.4	0.6	93.8	139.2	1.5	10.8	0.3	3107.7	-0.3	142.0	26.5	39.0	57.5	6.1	6	217	6	H
Average	-1.4	-1.0	53.9	-2.0	13.6	0.3	94.1	139.6	1.5	11.0	0.1	3221.9	0.7	142.0	26.0	38.2	58.0	6.0	6.3	221.0	3.4	##
Std. Dev.	0.4	0.4	0.3	0.1	0.5	0.6	0.3	0.5	0.0	0.3	0.5	126.8	0.9	2.0	1.3	1.6	1.6	0.2	5.0	4.2	1.1	##
Max.	-0.9	-0.5	54.5	-1.7	14.7	1.3	94.5	140.7	1.5	11.6	1.0	3394.4	2.1	145.2	28.4	41.3	59.6	6.4	14.6	225.0	6.0	0.0
Min.	-2.0	-1.5	53.5	-2.1	13.1	-0.6	93.6	138.8	1.5	10.7	-0.8	3018.0	-0.7	139.6	24.0	36.1	54.2	5.8	-1.0	213.0	2.0	0.0
Range	1.1	1.0	1.0	0.4	1.6	1.9	0.9	1.9	0.0	0.9	1.8	376.4	2.8	5.7	4.4	5.1	5.4	0.6	15.6	12.0	4.0	0.0
																			Avg. Dist. From Center	3.9		



Independent Equipment Testing

Client: Lost Golf Balls

Comments:

Date: March 19, 2014

Test: Ball

Time: 8:08 A.M. - 12:15 P.M.

Equipment Info.

Ball: Pro V1 2013 (New)
Club: Ping
Head: 7 Iron
Shaft: CFS AFS S

Robot Parameters

Amps: 27
Initial Percent: 60
Ramp Distance: 66
Release Point: 160
Lie Angle: 59
Tee Table Position: 16

Weather

Temp: 65° - 66°
Wind: 4-14 mph
Direction: Head
Humidity: 68% - 71%
Bar: 30.03 - 30.04
Ground Cond.: Soft & damp
Weather Cond: Clear & cool

Legend

A/A Attack Angle-Degrees
Club Path Degrees
Vert. SP Vertical Swing Plane-Degrees
Horiz. SP Horizontal Swing Plane-Degrees
Dyn. Loft Dynamic Loft-Degrees
F/A Face Angle-Degrees
H/S Head Speed-MPH
B/S Ball Speed-MPH
Ratio Ratio of Ball Speed to Head Speed
L/A Launch Angle-Degrees
H L/A Horizontal Launch Angle-Degrees
Spin BackSpin-RPM

Spin Axis Side Spin Rotation
Max. Hght Dr. Down Range Distance Ball Reaches Peak-Yards
Max Height Yards
Vert. Land Descent Angle of Golf Ball-Degrees
B/S Ball Velocity at Impact-MPH
F Time Flight Time of Ball-Seconds
C-Disp Carry Dispersion (Ball Landing)-Feet
C-Dist Carry Distance (Ball Landing)-Yards

Swing Data

Launch Data

Flight Data

Descent Data

Landing Data

Wind

Center Hit#	A/A	Club Path	Vert. SP	Horiz. SP	Dyn. Loft	F/A	H/S	B/S	Ratio	L/A	H L/A	SPIN	SPIN AXIS	MAX HGHT DR.	MAX HGHT	VERT. LAND	B/S	F TIME	C-DISP	C-DIST	VEL	DIR	
1	-3.6	0.6	61.4	-1.4	25.2	1.8	83.1	112.1	1.3	19.3	1.6	6551.2	-3.0	95.9	36.4	55.7	51.6	6.4	-5	149	5	H	
2			61.9	-0.4	25.4	1.2	82.8	112.7	1.4	19.5	1.6	6603.5	-3.4	94.6	35.8	53.9	49.0	6.4	-5	149	8	H	
3			63.1	0.1	25.0	1.3	82.7	111.9	1.4	19.0	1.7	6672.0	-3.2	95.8	36.6	55.9	46.3	6.6	-5	147	6	H	
4			61.8	-0.5	25.0	1.1	82.8	111.5	1.3	19.0	1.4	6645.6	-2.8	93.9	37.5	59.7	50.7	6.6	-4	143	7	H	
5			62.2	-0.5	24.6	1.1	82.6	112.6	1.4	18.5	1.3	6774.5	-1.3	89.7	36.8	59.4	49.8	6.4	0	139	8	H	
6			62.9	-0.5	24.2	1.4	82.8	113.0	1.4	17.9	1.6	7056.4	-1.5	91.6	37.2	60.6	49.8	6.5	5	137	8	H	
7	-2.8	-0.3	61.1	-1.8	24.4	1.0	83.4	113.1	1.4	18.4	0.7	6785.8	-1.6	91.1	38.4	60.7	49.4	6.6	1	139	11	H	
8	-2.1	0.5	63.6	-0.5	24.4	1.3	82.9	112.4	1.4	18.3	1.1	6781.2	-0.7	91.5	37.1	61.2	52.0	6.4	3	138	9	H	
9	-2.2	1.2	64.9	0.2	24.5	1.6	83.4	112.6	1.4	18.1	1.5	7138.2	0.6	91.3	36.8	59.6	51.1	6.4	14	139	8	H	
10			63.9	0.9	24.3	1.5	82.8	113.7	1.4	17.9	1.4	7311.3	0.9	91.0	36.2	59.7	49.1	6.4	8	138	8	H	
Average	-2.7	0.5	62.7	-0.4	24.7	1.3	82.9	112.6	1.4	18.6	1.4	6832.0	-1.6	92.6	36.9	58.7	49.9	6.5	1.2	141.8	7.8	##	
Std. Dev.	0.7	0.6	1.2	0.8	0.4	0.3	0.3	0.6	0.0	0.6	0.3	252.4	1.5	2.2	0.7	2.5	1.6	0.1	6.4	4.8	1.6	##	
Max.	-2.1	1.2	64.9	0.9	25.4	1.8	83.4	113.7	1.4	19.5	1.7	7311.3	0.9	95.9	38.4	61.2	52.0	6.6	14.0	149.0	11.0	0.0	
Min.	-3.6	-0.3	61.1	-1.8	24.2	1.0	82.6	111.5	1.3	17.9	0.7	6551.2	-3.4	89.7	35.8	53.9	46.3	6.4	-5.0	137.0	5.0	0.0	
Range	1.6	1.5	3.8	2.7	1.1	0.8	0.8	2.2	0.0	1.6	1.0	760.1	4.3	6.1	2.6	7.2	5.7	0.2	19.0	12.0	6.0	0.0	
																			Avg. Dist. From Center	5.0			



Independent Equipment Testing

Client: Lost Golf Balls

Comments:

Date: March 17, 2014

Test: Ball

Time:

Equipment Info.

Ball: Pro V1 2013 5A
Club: Taylor Made
Head: 10.5° R9
Shaft: Graphite Design

Robot Parameters

Amps: 30
Initial Percent: 60
Ramp Distance: 47
Release Point: 160
Lie Angle: 54
Tee Table Position: 12

Weather

Temp: 62° - 64°
Wind: 0-8 mph
Direction: Head
Humidity: 63% - 78%
Bar: 29.99
Ground Cond.: Soft & damp
Weather Cond: Clear & cool

Legend

A/A Attack Angle-Degrees
Club Path Degrees
Vert. SP Vertical Swing Plane-Degrees
Horiz. SP Horizontal Swing Plane-Degrees
Dyn. Loft Dynamic Loft-Degrees
F/A Face Angle-Degrees
H/S Head Speed-MPH
B/S Ball Speed-MPH
Ratio Ratio of Ball Speed to Head Speed
L/A Launch Angle-Degrees
H L/A Horizontal Launch Angle-Degrees
Spin BackSpin-RPM

Spin Axis Side Spin Rotation
Max. Hght Dr. Down Range Distance Ball Reaches Peak-Yards
Max Height Yards
Vert. Land Descent Angle of Golf Ball-Degrees
B/S Ball Velocity at Impact-MPH
F Time Flight Time of Ball-Seconds
C-Disp Carry Dispersion (Ball Landing)-Feet
C-Dist Carry Distance (Ball Landing)-Yards

Swing Data

Launch Data

Flight Data

Descent Data

Landing Data

Wind

Center Hit#	A/A	Club Path	Vert. SP	Horiz. SP	Dyn. Loft	F/A	H/S	B/S	Ratio	L/A	H L/A	SPIN	SPIN AXIS	MAX HGHT DR.	MAX HGHT	VERT. LAND	B/S	F TIME	C-DISP	C-DIST	VEL	DIR	
1	-1.1	-2.0	52.3	-2.9	13.5	0.1	94.2	139.8	1.5	11.3	-0.2	3074.6	-0.1	140.1	26.1	38.6	57.1	6.0	2	221	2	H	
2	-1.5	-1.3	52.9	-2.4	14.2	0.8	93.8	138.7	1.5	12.0	0.5	3026.8	0.8	139.9	27.7	39.3	58.5	6.1	15	221	3	H	
3	-1.5	-1.6	53.2	-2.7	13.9	0.8	95.2	139.1	1.5	11.8	0.5	2963.6	1.2	137.9	25.3	38.0	57.1	6.0	16	222	3	H	
4	-1.3	-1.5	53.1	-2.4	13.7	0.2	94.0	139.2	1.5	11.6	-0.1	2954.4	-0.6	142.9	26.6	39.1	55.9	6.2	-3	223	3	H	
5			54.8	-1.7	12.6	0.1	94.0	139.2	1.5	10.3	0.3	3245.7	-3.9	142.0	26.2	40.1	54.2	6.2	-32	219	4	H	
6	-0.9	-2.0	53.1	-2.7	13.3	0.3	94.4	139.6	1.5	11.1	-0.1	3134.8	-3.9	142.6	26.2	39.3	55.2	6.2	-35	222	2	H	
7	-1.2	-1.3	53.8	-2.2	12.9	-0.6	94.2	139.4	1.5	10.8	-0.7	2954.6	-0.2	140.7	27.6	42.5	53.3	6.3	-5	211	5	H	
8	-2.5	-1.2	52.5	-3.1	13.2	0.6	94.7	140.0	1.5	10.8	0.3	3287.9	3.7	141.7	28.8	43.7	53.3	6.4	36	212	6	H	
9			54.9	-1.5	13.2	0.5	94.3	139.9	1.5	10.9	0.5	3146.9	1.8	141.7	27.0	42.6	50.8	6.3	26	215	6	H	
10	-1.3	-2.1	52.2	-3.1	12.9	0.4	94.1	139.8	1.5	10.5	-0.1	3393.5	2.1	138.7	27.3	42.4	52.3	6.2	20	210	7	H	
Average	-1.4	-1.6	53.3	-2.5	13.3	0.3	94.3	139.5	1.5	11.1	0.1	3118.3	0.1	140.8	26.9	40.6	54.8	6.2	4.0	217.6	4.1	##	
Std. Dev.	0.5	0.4	1.0	0.6	0.5	0.4	0.4	0.4	0.0	0.6	0.4	152.7	2.5	1.7	1.0	2.0	2.4	0.1	23.5	5.1	1.8	##	
Max.	-0.9	-1.2	54.9	-1.5	14.2	0.8	95.2	140.0	1.5	12.0	0.5	3393.5	3.7	142.9	28.8	43.7	58.5	6.4	36.0	223.0	7.0	0.0	
Min.	-2.5	-2.1	52.2	-3.1	12.6	-0.6	93.8	138.7	1.5	10.3	-0.7	2954.4	-3.9	137.9	25.3	38.0	50.8	6.0	-35.0	210.0	2.0	0.0	
Range	1.6	0.9	2.7	1.7	1.6	1.4	1.4	1.2	0.0	1.7	1.3	439.1	7.7	5.0	3.5	5.8	7.6	0.4	71.0	13.0	5.0	0.0	
																			Avg. Dist. From Center	18.6			



Independent Equipment Testing

Client: Lost Golf Balls

Comments:

Date: March 18, 2014

Test: Ball

Time: 7:55 A.M. - 12:05 P.M.

Equipment Info.

Ball: Pro V1 2013 5A
 Club: Ping
 Head: 7 Iron
 Shaft: CFS AFS S

Robot Parameters

Amps: 27
 Initial Percent: 60
 Ramp Distance: 66
 Release Point: 160
 Lie Angle: 59
 Tee Table Position: 16

Weather

Temp: 66° - 65°
 Wind: 1-12 mph
 Direction: Head
 Humidity: 61% - 65%
 Bar: 29.86
 Ground Cond.: Soft & damp
 Weather Cond: Cloudy & cool

Legend

A/A Attack Angle-Degrees
 Club Path Degrees
 Vert. SP Vertical Swing Plane-Degrees
 Horiz. SP Horizontal Swing Plane-Degrees
 Dyn. Loft Dynamic Loft-Degrees
 F/A Face Angle-Degrees
 H/S Head Speed-MPH
 B/S Ball Speed-MPH
 Ratio Ratio of Ball Speed to Head Speed
 L/A Launch Angle-Degrees
 H L/A Horizontal Launch Angle-Degrees
 Spin BackSpin-RPM

Spin Axis Side Spin Rotation
 Max. Hght Dr. Down Range Distance Ball Reaches Peak-Yards
 Max Height Yards
 Vert. Land Descent Angle of Golf Ball-Degrees
 B/S Ball Velocity at Impact-MPH
 F Time Flight Time of Ball-Seconds
 C-Disp Carry Dispersion (Ball Landing)-Feet
 C-Dist Carry Distance (Ball Landing)-Yards

Swing Data

Launch Data

Flight Data

Descent Data

Landing Data

Wind

Center Hit#	A/A	Club Path	Vert. SP	Horiz. SP	Dyn. Loft	F/A	H/S	B/S	Ratio	L/A	H L/A	SPIN	SPIN AXIS	MAX HGHT DR.	MAX HGHT	VERT. LAND	B/S	F TIME	C-DISP	C-DIST	VEL	DIR		
1	-3.4	-0.3	61.4	-2.2	26.1	2.2	83.4	112.4	1.3	19.9	1.6	6942.4	-0.6	94.6	35.0	52.1	51.2	6.2	3	148	5	H		
2	-3.5	-0.9	61.2	-2.8	26.2	2.2	83.7	113.6	1.4	20.1	1.5	6999.9	-0.4	96.2	35.0	51.3	51.0	6.3	3	151	2	H		
3	-3.1	-0.3	61.7	-2.0	25.6	2.6	83.4	113.8	1.4	19.5	1.9	6843.4	-3.3	93.3	34.2	51.8	50.6	6.2	-5	149	1	H		
4	-3.6	-1.1	60.7	-3.1	25.5	1.7	83.5	113.7	1.4	19.9	1.1	6391.5	1.1	95.6	37.2	54.9	48.7	6.5	18	149	5	H		
5	-3.4	-0.7	61.5	-2.5	25.6	1.4	83.5	113.1	1.4	19.7	0.9	6681.9	-0.1	93.4	37.4	58.7	52.5	6.5	10	143	4	H		
6	-3.5	-0.8	61.1	-2.7	25.6	1.4	83.5	113.4	1.4	19.5	0.9	6872.4	0.9	92.9	38.1	56.9	47.4	6.6	16	142	8	H		
7	-3.5	-1.1	60.7	-3.1	25.9	1.3	83.5	112.9	1.4	20.0	0.7	6648.1	2.3	97.0	38.5	55.9	48.7	6.6	20	139	6	H		
8	-3.5	-1.0	60.9	-2.9	25.6	1.4	83.4	113.1	1.4	19.8	0.9	6514.1	-2.4	94.3	39.3	58.9	50.4	6.7	-3	140	8	H		
9	-3.4	-0.6	61.7	-2.4	26.1	1.2	83.5	112.3	1.3	20.1	0.8	6649.6	-0.9	93.4	37.6	57.6	50.9	6.5	0	141	7	H		
10	-3.5	-0.7	61.8	-2.6	25.2	1.6	83.8	113.8	1.4	19.4	1.1	6509.0	-1.9	91.4	39.0	58.5	46.8	6.6	-3	138	6	H		
Average	-3.4	-0.7	61.3	-2.6	25.7	1.7	83.5	113.2	1.4	19.8	1.1	6705.2	-0.5	94.2	37.1	55.6	49.8	6.5	5.9	144.0	5.2	##		
Std. Dev.	0.1	0.3	0.4	0.4	0.3	0.5	0.1	0.5	0.0	0.2	0.4	202.9	1.7	1.7	1.8	3.0	1.8	0.2	9.4	4.8	2.3	##		
Max.	-3.1	-0.3	61.8	-2.0	26.2	2.6	83.8	113.8	1.4	20.1	1.9	6999.9	2.3	97.0	39.3	58.9	52.5	6.7	20.0	151.0	8.0	0.0		
Min.	-3.6	-1.1	60.7	-3.1	25.2	1.2	83.4	112.3	1.3	19.4	0.7	6391.5	-3.3	91.4	34.2	51.3	46.8	6.2	-5.0	138.0	1.0	0.0		
Range	0.4	0.8	1.1	1.1	1.1	1.4	0.4	1.5	0.0	0.7	1.2	608.3	5.6	5.5	5.1	7.5	5.8	0.5	25.0	13.0	7.0	0.0		
																			Avg. Dist. From Center		8.1			



Independent Equipment Testing

Client: Lost Golf Balls

Comments:

Date: March 17, 2014

Test: Ball

Time:

Equipment Info.

Ball: Pro V1 2013 4A
Club: Taylor Made
Head: 10.5° R9
Shaft: Graphite Design

Robot Parameters

Amps: 30
Initial Percent: 60
Ramp Distance: 47
Release Point: 160
Lie Angle: 54
Tee Table Position: 12

Weather

Temp: 62° - 64°
Wind: 0-8 mph
Direction: Head
Humidity: 63% - 78%
Bar: 29.99
Ground Cond.: Soft & damp
Weather Cond: Clear & cool

Legend

A/A Attack Angle-Degrees
Club Path Degrees
Vert. SP Vertical Swing Plane-Degrees
Horiz. SP Horizontal Swing Plane-Degrees
Dyn. Loft Dynamic Loft-Degrees
F/A Face Angle-Degrees
H/S Head Speed-MPH
B/S Ball Speed-MPH
Ratio Ratio of Ball Speed to Head Speed
L/A Launch Angle-Degrees
H L/A Horizontal Launch Angle-Degrees
Spin BackSpin-RPM

Spin Axis Side Spin Rotation
Max. Hght Dr. Down Range Distance Ball Reaches Peak-Yards
Max Height Yards
Vert. Land Descent Angle of Golf Ball-Degrees
B/S Ball Velocity at Impact-MPH
F Time Flight Time of Ball-Seconds
C-Disp Carry Dispersion (Ball Landing)-Feet
C-Dist Carry Distance (Ball Landing)-Yards

Swing Data

Launch Data

Flight Data

Descent Data

Landing Data

Wind

Center Hit#	A/A	Club Path	Vert. SP	Horiz. SP	Dyn. Loft	F/A	H/S	B/S	Ratio	L/A	H L/A	SPIN	SPIN AXIS	MAX HGHT DR.	MAX HGHT	VERT. LAND	B/S	F TIME	C-DISP	C-DIST	VEL	DIR
1	-2.2	-1.0	53.2	-2.6	13.6	1.0	94.0	139.6	1.5	11.3	0.7	3227.8	1.4	139.0	26.1	38.8	55.4	6.1	25	217	5	H
2	-2.4	-1.3	51.9	-3.2	13.5	1.1	94.1	139.8	1.5	11.1	0.8	3268.8	1.2	140.9	27.4	40.7	53.9	6.2	24	218	5	H
3	-1.3	-2.1	52.2	-3.1	13.2	0.1	94.0	139.3	1.5	10.9	-0.3	3240.5	3.0	142.0	27.6	41.5	53.7	6.4	25	219	3	H
4	-1.4	-2.0	52.1	-3.1	13.1	0.6	94.2	139.4	1.5	10.8	0.2	3250.4	2.6	142.9	27.9	42.7	52.0	6.4	25	218	4	H
5	-1.1	-1.9	52.9	-2.8	12.6	-0.5	94.0	139.1	1.5	10.3	-0.7	3238.8	-0.2	140.2	27.3	42.3	53.4	6.2	-5	214	4	H
6	-1.4	-1.5	53.0	-2.6	13.2	0.5	94.2	139.5	1.5	11.0	0.2	3104.5	0.8	141.1	27.5	42.0	54.3	6.2	10	215	7	H
7	-1.0	-1.7	53.8	-2.4	13.0	-0.1	95.3	138.9	1.5	10.7	-0.4	3122.8	-1.6	138.6	26.2	41.7	52.0	6.2	-16	212	8	H
8	-1.1	-1.5	53.4	-2.4	13.0	0.4	93.7	138.9	1.5	10.7	0.1	3085.3	-1.5	138.3	26.0	40.8	53.4	6.1	-10	210	8	H
9	-1.4	-1.8	52.9	-2.8	13.1	0.4	94.2	139.5	1.5	10.8	0.0	3244.4	2.2	139.1	27.0	42.1	51.9	6.3	22	213	6	H
10	-1.4	-1.5	53.5	-2.5	13.2	0.0	95.5	139.0	1.5	11.0	-0.2	3099.0	0.3	139.2	25.7	41.0	53.7	6.1	2	212	6	H
Average	-1.5	-1.6	52.9	-2.7	13.1	0.3	94.3	139.3	1.5	10.9	0.0	3188.2	0.8	140.1	26.9	41.4	53.4	6.2	10.2	214.8	5.6	##
Std. Dev.	0.5	0.3	0.6	0.3	0.3	0.5	0.6	0.3	0.0	0.3	0.5	74.7	1.6	1.5	0.8	1.1	1.1	0.1	16.3	3.1	1.7	##
Max.	-1.0	-1.0	53.8	-2.4	13.6	1.1	95.5	139.8	1.5	11.3	0.8	3268.8	3.0	142.9	27.9	42.7	55.4	6.4	25.0	219.0	8.0	0.0
Min.	-2.4	-2.1	51.9	-3.2	12.6	-0.5	93.7	138.9	1.5	10.3	-0.7	3085.3	-1.6	138.3	25.7	38.8	51.9	6.1	-16.0	210.0	3.0	0.0
Range	1.3	1.1	1.9	0.8	0.9	1.6	1.8	0.9	0.0	1.0	1.5	183.6	4.7	4.6	2.2	3.8	3.6	0.3	41.0	9.0	5.0	0.0
																			Avg. Dist. From Center	14.0		



Independent Equipment Testing

Client: Lost Golf Balls

Comments:

Date: March 18, 2014

Test: Ball

Time: 7:55 A.M. - 12:05 P.M.

Equipment Info.

Ball: Pro V1 2013 4A

Club: Ping

Head: 7 Iron

Shaft: CFS AFS S

Robot Parameters

Amps: 27

Initial Percent: 60

Ramp Distance: 66

Release Point: 160

Lie Angle: 59

Tee Table Position: 16

Weather

Temp: 66° - 65°

Wind: 1-12 mph

Direction: Head

Humidity: 61% - 65%

Bar: 29.86

Ground Cond.: Soft & damp

Weather Cond: Cloudy & cool

Legend

A/A Attack Angle-Degrees

Club Path Degrees

Vert. SP Vertical Swing Plane-Degrees

Horiz. SP Horizontal Swing Plane-Degrees

Dyn. Loft Dynamic Loft-Degrees

F/A Face Angle-Degrees

H/S Head Speed-MPH

B/S Ball Speed-MPH

Ratio Ratio of Ball Speed to Head Speed

L/A Launch Angle-Degrees

H L/A Horizontal Launch Angle-Degrees

Spin BackSpin-RPM

Spin Axis Side Spin Rotation

Max. Hght Dr. Down Range Distance Ball Reaches Peak-Yards

Max Height Yards

Vert. Land Descent Angle of Golf Ball-Degrees

B/S Ball Velocity at Impact-MPH

F Time Flight Time of Ball-Seconds

C-Disp Carry Dispersion (Ball Landing)-Feet

C-Dist Carry Distance (Ball Landing)-Yards

Swing Data

Launch Data

Flight Data

Descent Data

Landing Data

Wind

Center Hit#	A/A	Club Path	Vert. SP	Horiz. SP	Dyn. Loft	F/A	H/S	B/S	Ratio	L/A	H L/A	SPIN	SPIN AXIS	MAX HGHT DR.	MAX HGHT	VERT. LAND	B/S	F TIME	C-DISP	C-DIST	VEL	DIR	
1	-3.2	-0.3	61.8	-2.1	26.0	2.7	83.4	113.4	1.4	19.9	2.0	6887.4	-3.8	96.7	34.7	50.8	52.3	6.2	-8	154	2	H	
2	-3.3	-0.9	60.7	-2.8	26.4	2.1	83.2	112.7	1.4	20.4	1.4	6724.6	-3.3	92.2	34.1	55.1	57.4	6.1	-9	148	6	H	
3	-3.4	-0.6	61.3	-2.5	26.5	2.4	83.3	113.1	1.4	20.3	1.7	6970.8	-3.2	93.3	34.5	50.4	52.5	6.2	-14	150	3	H	
4	-3.3	-0.4	61.8	-2.2	25.8	0.6	83.5	112.7	1.3	19.9	0.4	6557.8	1.4	93.9	36.4	57.0	56.0	6.3	18	148	4	H	
5	-3.4	-1.0	60.7	-2.9	25.3	1.7	83.3	112.7	1.4	19.2	1.1	6894.0	-0.7	94.0	36.9	56.6	50.9	6.5	8	145	5	H	
6	-3.5	-0.8	61.3	-2.7	25.4	1.1	83.6	112.9	1.4	19.4	0.7	6740.1	-0.3	95.0	37.2	55.4	47.8	6.5	3	141	6	H	
7	-3.3	-0.8	61.0	-2.7	25.6	1.7	83.5	113.2	1.4	19.6	1.1	6712.6	-0.6	93.3	36.7	55.1	48.5	6.4	7	145	7	H	
8	-3.5	-0.9	60.9	-2.8	25.3	1.5	83.4	112.5	1.3	19.3	0.9	6746.4	-1.3	96.2	38.3	56.4	47.8	6.6	-3	148	6	H	
9	-3.3	-0.2	62.2	-1.9	25.5	1.4	83.4	112.9	1.4	19.6	1.0	6597.6	-2.0	96.8	38.6	57.0	47.2	6.7	-13	149	6	H	
10	-3.4	-1.0	60.9	-2.9	25.3	0.8	83.3	112.1	1.3	19.2	0.4	6790.7	-0.7	93.6	37.6	56.7	47.0	6.6	-4	144	6	H	
Average	-3.3	-0.7	61.3	-2.5	25.7	1.6	83.4	112.8	1.4	19.7	1.1	6762.2	-1.5	94.5	36.5	55.1	50.7	6.4	-1.5	147.2	5.1	##	
Std. Dev.	0.1	0.3	0.5	0.4	0.5	0.7	0.1	0.4	0.0	0.5	0.5	129.5	1.6	1.6	1.6	2.5	3.8	0.2	10.3	3.6	1.6	##	
Max.	-3.2	-0.2	62.2	-1.9	26.5	2.7	83.6	113.4	1.4	20.4	2.0	6970.8	1.4	96.8	38.6	57.0	57.4	6.7	18.0	154.0	7.0	0.0	
Min.	-3.5	-1.0	60.7	-2.9	25.3	0.6	83.2	112.1	1.3	19.2	0.4	6557.8	-3.8	92.2	34.1	50.4	47.0	6.1	-14.0	141.0	2.0	0.0	
Range	0.3	0.8	1.5	0.9	1.2	2.1	0.4	1.3	0.0	1.2	1.6	413.0	5.1	4.7	4.5	6.6	10.4	0.6	32.0	13.0	5.0	0.0	
																			Avg. Dist. From Center	8.4			



Independent Equipment Testing

Client: Lost Golf Balls

Comments:

Date: March 17, 2014

Test: Ball

Time:

Equipment Info.

Ball: Pro V1 2013 3A
Club: Taylor Made
Head: 10.5° R9
Shaft: Graphite Design

Robot Parameters

Amps: 30
Initial Percent: 60
Ramp Distance: 47
Release Point: 160
Lie Angle: 54
Tee Table Position: 12

Weather

Temp: 62° - 64°
Wind: 0-8 mph
Direction: Head
Humidity: 63% - 78%
Bar: 29.99
Ground Cond.: Soft & damp
Weather Cond: Clear & cool

Legend

A/A Attack Angle-Degrees
Club Path Degrees
Vert. SP Vertical Swing Plane-Degrees
Horiz. SP Horizontal Swing Plane-Degrees
Dyn. Loft Dynamic Loft-Degrees
F/A Face Angle-Degrees
H/S Head Speed-MPH
B/S Ball Speed-MPH
Ratio Ratio of Ball Speed to Head Speed
L/A Launch Angle-Degrees
H L/A Horizontal Launch Angle-Degrees
Spin BackSpin-RPM

Spin Axis Side Spin Rotation
Max. Hght Dr. Down Range Distance Ball Reaches Peak-Yards
Max Height Yards
Vert. Land Descent Angle of Golf Ball-Degrees
B/S Ball Velocity at Impact-MPH
F Time Flight Time of Ball-Seconds
C-Disp Carry Dispersion (Ball Landing)-Feet
C-Dist Carry Distance (Ball Landing)-Yards

Center Hit#	Swing Data						Launch Data					Flight Data				Descent Data			Landing Data		Wind		
	A/A	Club Path	Vert. SP	Horiz. SP	Dyn. Loft	F/A	H/S	B/S	Ratio	L/A	H L/A	SPIN	SPIN AXIS	MAX HGHT DR.	MAX HGHT	VERT. LAND	B/S	F TIME	C-DISP	C-DIST	VEL	DIR	
1	-1.2	-2.1	51.9	-3.0	13.4	0.2	94.4	139.5	1.5	11.2	-0.1	3132.2	1.2	141.7	25.0	37.0	56.7	6.0	10	222	4	H	
2	-1.4	-2.2	52.5	-3.2	13.2	0.4	95.6	139.4	1.5	11.0	0.0	3160.1	2.6	141.2	24.6	36.8	56.4	6.0	20	220	4	H	
3	-1.3	-1.9	52.8	-2.8	13.1	0.5	94.0	139.3	1.5	10.8	0.1	3193.1	0.4	142.4	26.3	39.6	55.9	6.2	10	218	3	H	
4	-2.2	-1.0	53.0	-2.6	13.5	0.6	94.2	139.7	1.5	11.3	0.3	3077.4	1.4	141.1	24.2	36.5	56.3	6.0	26	220	2	H	
5	-2.3	-0.9	53.0	-2.7	13.4	0.7	95.6	139.3	1.5	11.1	0.5	3116.1	-0.6	142.1	26.1	39.8	55.2	6.1	3	218	3	H	
6			54.2	-1.2	13.4	0.9	94.0	139.3	1.5	11.1	0.9	3168.7	-1.9	141.3	25.6	39.0	55.0	6.1	-3	219	3	H	
7	-0.9	-2.1	52.7	-2.8	12.9	-0.5	94.3	139.8	1.5	10.7	-0.8	3085.4	2.0	142.6	27.4	41.8	54.5	6.2	11	214	7	H	
8	-1.2	-1.8	53.3	-2.7	12.9	-0.3	95.6	139.0	1.5	10.6	-0.6	3175.0	0.6	142.0	26.1	40.9	53.6	6.2	-4	214	3	H	
9	-1.1	-1.7	53.4	-2.5	13.2	0.4	95.4	139.0	1.5	10.9	0.1	3175.3	1.3	139.8	24.5	38.7	54.7	6.0	3	217	4	H	
10	-1.0	-2.1	52.0	-2.8	12.6	-0.8	94.5	139.9	1.5	10.4	-1.0	3100.3	2.9	142.0	25.6	40.9	55.0	6.1	4	215	4	H	
Average	-1.4	-1.7	52.9	-2.6	13.2	0.2	94.8	139.4	1.5	10.9	0.0	3138.4	1.0	141.6	25.5	39.1	55.3	6.1	8.0	217.7	3.7	##	
Std. Dev.	0.5	0.5	0.7	0.5	0.3	0.5	0.7	0.3	0.0	0.3	0.6	41.6	1.5	0.8	1.0	1.8	1.0	0.1	9.5	2.7	1.3	##	
Max.	-0.9	-0.9	54.2	-1.2	13.5	0.9	95.6	139.9	1.5	11.3	0.9	3193.1	2.9	142.6	27.4	41.8	56.7	6.2	26.0	222.0	7.0	0.0	
Min.	-2.3	-2.2	51.9	-3.2	12.6	-0.8	94.0	139.0	1.5	10.4	-1.0	3077.4	-1.9	139.8	24.2	36.5	53.6	6.0	-4.0	214.0	2.0	0.0	
Range	1.4	1.3	2.3	2.0	1.0	1.6	1.6	0.9	0.0	1.0	1.9	115.7	4.8	2.8	3.2	5.3	3.2	0.3	30.0	8.0	5.0	0.0	
																			Avg. Dist. From Center	7.4			



Independent Equipment Testing

Client: Lost Golf Balls

Comments:

Date: March 18, 2014

Test: Ball

Time: 7:55 A.M. - 12:05 P.M.

Equipment Info.

Ball: Pro V1 2013 3A
Club: Ping
Head: 7 Iron
Shaft: CFS AFS S

Robot Parameters

Amps: 27
Initial Percent: 60
Ramp Distance: 66
Release Point: 160
Lie Angle: 59
Tee Table Position: 16

Weather

Temp: 66° - 65°
Wind: 1-12 mph
Direction: Head
Humidity: 61% - 65%
Bar: 29.86
Ground Cond.: Soft & damp
Weather Cond: Cloudy & cool

Legend

A/A Attack Angle-Degrees
Club Path Degrees
Vert. SP Vertical Swing Plane-Degrees
Horiz. SP Horizontal Swing Plane-Degrees
Dyn. Loft Dynamic Loft-Degrees
F/A Face Angle-Degrees
H/S Head Speed-MPH
B/S Ball Speed-MPH
Ratio Ratio of Ball Speed to Head Speed
L/A Launch Angle-Degrees
H L/A Horizontal Launch Angle-Degrees
Spin BackSpin-RPM

Spin Axis Side Spin Rotation
Max. Hght Dr. Down Range Distance Ball Reaches Peak-Yards
Max Height Yards
Vert. Land Descent Angle of Golf Ball-Degrees
B/S Ball Velocity at Impact-MPH
F Time Flight Time of Ball-Seconds
C-Disp Carry Dispersion (Ball Landing)-Feet
C-Dist Carry Distance (Ball Landing)-Yards

Swing Data

Launch Data

Flight Data

Descent Data

Landing Data

Wind

Center Hit#	A/A	Club Path	Vert. SP	Horiz. SP	Dyn. Loft	F/A	H/S	B/S	Ratio	L/A	H L/A	SPIN	SPIN AXIS	MAX HGHT DR.	MAX HGHT	VERT. LAND	B/S	F TIME	C-DISP	C-DIST	VEL	DIR	
1	-3.5	-0.4	61.2	-2.3	25.4	1.9	83.2	112.8	1.4	19.2	1.3	6896.0	-2.5	95.0	36.9	54.9	48.9	6.5	-5	144	5	H	
2	-3.3	-0.5	62.0	-2.3	25.8	1.9	83.1	112.8	1.4	19.8	1.3	6825.4	-2.8	92.3	36.4	54.6	49.3	6.4	-8	142	7	H	
3	-3.5	-0.9	61.1	-2.8	26.0	2.1	83.3	112.3	1.3	19.7	1.4	7017.0	-1.3	91.5	35.8	59.3	55.3	6.3	0	141	7	H	
4	-3.3	-0.8	61.3	-2.6	25.6	1.5	83.5	113.1	1.4	19.4	0.9	6943.7	-0.4	92.8	35.3	56.4	53.5	6.2	5	144	6	H	
5	-3.4	-1.0	60.5	-3.0	25.8	1.2	83.4	112.9	1.4	19.6	0.7	6924.4	0.2	95.2	36.6	60.0	55.0	6.4	5	147	6	H	
6	-3.4	-1.1	60.6	-3.0	25.2	1.6	83.5	113.3	1.4	19.2	1.0	6846.9	-1.3	93.2	36.4	55.7	47.7	6.4	3	144	5	H	
7	-3.3	-0.7	61.1	-2.5	25.6	1.5	83.4	112.6	1.3	19.3	1.0	7154.1	-1.6	91.2	36.0	56.4	47.9	6.3	3	141	8	H	
8	-3.3	-0.4	61.9	-2.2	25.5	0.9	83.4	113.0	1.4	19.4	0.6	6816.2	-0.7	92.7	37.3	60.0	53.0	6.4	5	139	10	H	
9	-3.4	-0.9	61.0	-2.8	25.6	1.2	83.4	112.8	1.4	19.7	0.7	6634.2	-0.4	92.7	38.1	58.7	46.9	6.5	6	142	9	H	
10	-3.4	-0.6	61.3	-2.5	24.9	0.5	83.5	113.3	1.4	18.5	0.2	7162.7	0.3	90.7	37.0	61.9	52.2	6.4	15	138	8	H	
Average	-3.4	-0.7	61.2	-2.6	25.5	1.4	83.4	112.9	1.4	19.4	0.9	6922.1	-1.1	92.7	36.6	57.8	51.0	6.4	2.9	142.2	7.1	##	
Std. Dev.	0.1	0.2	0.5	0.3	0.3	0.5	0.1	0.3	0.0	0.4	0.4	160.2	1.0	1.5	0.8	2.5	3.2	0.1	6.3	2.7	1.7	##	
Max.	-3.3	-0.4	62.0	-2.2	26.0	2.1	83.5	113.3	1.4	19.8	1.4	7162.7	0.3	95.2	38.1	61.9	55.3	6.5	15.0	147.0	10.0	0.0	
Min.	-3.5	-1.1	60.5	-3.0	24.9	0.5	83.1	112.3	1.3	18.5	0.2	6634.2	-2.8	90.7	35.3	54.6	46.9	6.2	-8.0	138.0	5.0	0.0	
Range	0.3	0.6	1.5	0.8	1.1	1.6	0.4	1.0	0.0	1.3	1.2	528.6	3.0	4.5	2.7	7.3	8.4	0.3	23.0	9.0	5.0	0.0	
																			Avg. Dist. From Center	4.3			



Independent Equipment Testing

Client: Lost Golf Balls

Comments:

Date: March 17, 2014

Test: Ball

Time:

Equipment Info.

Ball: Pro V1 2013 2A
Club: Taylor Made
Head: 10.5° R9
Shaft: Graphite Design

Robot Parameters

Amps: 30
Initial Percent: 60
Ramp Distance: 47
Release Point: 160
Lie Angle: 54
Tee Table Position: 12

Weather

Temp: 62° - 64°
Wind: 0-8 mph
Direction: Head
Humidity: 63% - 78%
Bar: 29.99
Ground Cond.: Soft & damp
Weather Cond: Clear & cool

Legend

A/A Attack Angle-Degrees
Club Path Degrees
Vert. SP Vertical Swing Plane-Degrees
Horiz. SP Horizontal Swing Plane-Degrees
Dyn. Loft Dynamic Loft-Degrees
F/A Face Angle-Degrees
H/S Head Speed-MPH
B/S Ball Speed-MPH
Ratio Ratio of Ball Speed to Head Speed
L/A Launch Angle-Degrees
H L/A Horizontal Launch Angle-Degrees
Spin BackSpin-RPM

Spin Axis Side Spin Rotation
Max. Hght Dr. Down Range Distance Ball Reaches Peak-Yards
Max Height Yards
Vert. Land Descent Angle of Golf Ball-Degrees
B/S Ball Velocity at Impact-MPH
F Time Flight Time of Ball-Seconds
C-Disp Carry Dispersion (Ball Landing)-Feet
C-Dist Carry Distance (Ball Landing)-Yards

Swing Data

Launch Data

Flight Data

Descent Data

Landing Data

Wind

Center Hit#	A/A	Club Path	Vert. SP	Horiz. SP	Dyn. Loft	F/A	H/S	B/S	Ratio	L/A	H L/A	SPIN	SPIN AXIS	MAX HGHT DR.	MAX HGHT	VERT. LAND	B/S	F TIME	C-DISP	C-DIST	VEL	DIR
1	-1.3	-2.0	52.0	-3.1	13.1	0.8	94.2	139.7	1.5	10.8	0.4	3215.9	0.3	139.7	25.7	39.5	55.7	6.0	5	212	6	H
2	-1.4	-2.1	51.8	-3.2	13.1	-0.6	94.1	139.0	1.5	10.8	-0.9	3212.6	3.3	140.9	25.6	39.4	55.7	6.0	14	218	4	H
3	-1.1	-2.1	52.6	-2.9	13.3	0.5	95.4	139.2	1.5	11.1	0.1	3118.6	1.6	140.8	27.4	41.0	55.3	6.2	11	216	5	H
4	-1.0	-2.3	52.0	-3.0	13.1	0.1	94.2	139.4	1.5	10.7	-0.3	3282.7	0.7	143.0	26.8	40.1	54.8	6.2	0	216	4	H
5	-1.4	-2.0	52.3	-3.0	13.4	0.6	93.9	139.2	1.5	11.2	0.2	3178.7	2.4	141.4	26.4	39.5	54.7	6.2	24	217	3	H
6	-2.2	-0.5	54.0	-2.1	13.3	1.3	95.6	139.0	1.5	11.1	1.1	3140.3	0.0	142.0	26.2	40.8	53.6	6.2	15	215	3	H
7	-1.2	-1.5	53.6	-2.4	13.2	0.2	95.3	138.8	1.5	11.0	-0.1	3083.7	2.8	138.9	27.1	42.5	51.7	6.3	20	212	8	H
8	-0.9	-1.5	53.4	-2.2	12.9	-0.9	94.0	138.9	1.5	10.9	-1.0	2859.2	1.6	138.7	26.1	40.6	54.5	6.1	-2	212	6	H
9	-1.2	-1.9	52.0	-2.8	12.9	-0.4	94.1	139.5	1.5	10.7	-0.6	3012.6	-1.6	136.8	25.0	39.8	53.7	6.0	-23	218	8	H
10	-0.8	-1.5	53.7	-2.1	12.7	-0.2	94.2	139.8	1.5	10.6	-0.4	3032.7	-2.8	143.0	28.0	43.3	51.7	6.4	-29	217	8	H
Average	-1.2	-1.7	52.8	-2.7	13.1	0.1	94.5	139.2	1.5	10.9	-0.2	3113.7	0.8	140.5	26.4	40.6	54.1	6.2	3.5	215.3	5.5	##
Std. Dev.	0.4	0.5	0.8	0.4	0.2	0.7	0.7	0.3	0.0	0.2	0.6	123.0	2.0	2.0	0.9	1.3	1.5	0.1	17.6	2.5	2.0	##
Max.	-0.8	-0.5	54.0	-2.1	13.4	1.3	95.6	139.8	1.5	11.2	1.1	3282.7	3.3	143.0	28.0	43.3	55.7	6.4	24.0	218.0	8.0	0.0
Min.	-2.2	-2.3	51.8	-3.2	12.7	-0.9	93.9	138.8	1.5	10.6	-1.0	2859.2	-2.8	136.8	25.0	39.4	51.7	6.0	-29.0	212.0	3.0	0.0
Range	1.4	1.8	2.2	1.1	0.7	2.2	1.7	1.0	0.0	0.6	2.0	423.6	6.2	6.2	2.9	3.9	4.1	0.4	53.0	6.0	5.0	0.0
																			Avg. Dist. From Center	13.6		



Independent Equipment Testing

Client: Lost Golf Balls

Comments:

Date: March 18, 2014

Test: Ball

Time: 7:55 A.M. - 12:05 P.M.

Equipment Info.

Ball: Pro V1 2013 2A
 Club: Ping
 Head: 7 Iron
 Shaft: CFS AFS S

Robot Parameters

Amps: 27
 Initial Percent: 60
 Ramp Distance: 66
 Release Point: 160
 Lie Angle: 59
 Tee Table Position: 16

Weather

Temp: 66° - 65°
 Wind: 1-12 mph
 Direction: Head
 Humidity: 61% - 65%
 Bar: 29.86
 Ground Cond.: Soft & damp
 Weather Cond: Cloudy & cool

Legend

A/A Attack Angle-Degrees
 Club Path Degrees
 Vert. SP Vertical Swing Plane-Degrees
 Horiz. SP Horizontal Swing Plane-Degrees
 Dyn. Loft Dynamic Loft-Degrees
 F/A Face Angle-Degrees
 H/S Head Speed-MPH
 B/S Ball Speed-MPH
 Ratio Ratio of Ball Speed to Head Speed
 L/A Launch Angle-Degrees
 H L/A Horizontal Launch Angle-Degrees
 Spin BackSpin-RPM

Spin Axis Side Spin Rotation
 Max. Hght Dr. Down Range Distance Ball Reaches Peak-Yards
 Max Height Yards
 Vert. Land Descent Angle of Golf Ball-Degrees
 B/S Ball Velocity at Impact-MPH
 F Time Flight Time of Ball-Seconds
 C-Disp Carry Dispersion (Ball Landing)-Feet
 C-Dist Carry Distance (Ball Landing)-Yards

Swing Data

Launch Data

Flight Data

Descent Data

Landing Data

Wind

Center Hit#	A/A	Club Path	Vert. SP	Horiz. SP	Dyn. Loft	F/A	H/S	B/S	Ratio	L/A	H L/A	SPIN	SPIN AXIS	MAX HGHT DR.	MAX HGHT	VERT. LAND	B/S	F TIME	C-DISP	C-DIST	VEL	DIR	
1	-3.5	-0.7	61.5	-2.6	26.2	1.9	83.2	112.1	1.3	20.0	1.3	6891.9	-0.8	91.4	35.9	56.2	51.2	6.3	1	140	7	H	
2	-3.5	-1.0	60.6	-3.0	25.6	1.8	83.3	112.9	1.4	19.4	1.2	6999.3	-1.4	92.7	36.2	56.2	51.6	6.3	0	143	6	H	
3	-3.3	-0.5	61.8	-2.3	25.9	1.4	83.3	112.8	1.4	19.4	1.0	7201.7	-1.4	92.3	35.6	54.3	49.1	6.3	0	142	7	H	
4	-3.5	-0.9	60.7	-2.9	25.8	1.4	83.4	113.2	1.4	19.9	0.9	6622.6	-0.8	92.5	35.8	53.6	50.1	6.3	5	147	6	H	
5	-3.5	-0.8	61.2	-2.7	26.0	1.4	83.6	113.0	1.4	19.9	0.9	6848.1	0.0	93.8	35.5	57.5	56.0	6.3	5	148	6	H	
6	-3.3	-0.8	60.9	-2.6	25.7	1.2	83.5	113.4	1.4	19.7	0.8	6690.5	0.2	95.3	35.8	54.4	48.3	6.4	6	150	4	H	
7	-3.4	-1.0	60.4	-2.9	25.5	1.3	83.4	113.0	1.4	19.4	0.7	6893.2	-1.8	92.7	35.8	54.2	48.6	6.3	-6	144	2	H	
8	-3.4	-0.4	61.8	-2.2	25.6	1.3	83.4	113.5	1.4	19.6	0.9	6759.4	-1.7	89.9	36.7	56.6	46.9	6.4	0	138	8	H	
9	-3.5	-0.4	61.9	-2.2	25.4	1.0	83.3	112.9	1.4	19.3	0.7	6881.4	-1.7	92.8	37.3	57.4	46.6	6.5	-7	139	9	H	
10	-3.2	-1.1	60.8	-2.9	25.6	1.7	83.3	113.1	1.4	19.5	1.0	6900.7	-2.4	90.3	36.8	58.4	50.1	6.4	-15	138	6	H	
Average	-3.4	-0.8	61.1	-2.6	25.7	1.4	83.4	113.0	1.4	19.6	0.9	6868.9	-1.2	92.4	36.1	55.9	49.9	6.3	-1.1	142.9	6.1	##	
Std. Dev.	0.1	0.2	0.6	0.3	0.2	0.3	0.1	0.4	0.0	0.3	0.2	161.6	0.8	1.6	0.6	1.7	2.7	0.1	6.5	4.3	2.0	##	
Max.	-3.2	-0.4	61.9	-2.2	26.2	1.9	83.6	113.5	1.4	20.0	1.3	7201.7	0.2	95.3	37.3	58.4	56.0	6.5	6.0	150.0	9.0	0.0	
Min.	-3.5	-1.1	60.4	-3.0	25.4	1.0	83.2	112.1	1.3	19.3	0.7	6622.6	-2.4	89.9	35.5	53.6	46.6	6.3	-15.0	138.0	2.0	0.0	
Range	0.3	0.7	1.5	0.8	0.8	0.9	0.4	1.4	0.0	0.8	0.6	579.1	2.6	5.4	1.8	4.8	9.3	0.2	21.0	12.0	7.0	0.0	
																			Avg. Dist. From Center	4.9			



Independent Equipment Testing

Client: Lost Golf Balls

Date: March 17, 2014

Test: Ball

Club: Taylor Made Head: 10.5° R9	Swing Data					Launch Data							Flight Data				Descent Data			Landing Data		Wind
	A/A	Club Path	Vert.	SP Horiz.	SP Dyn.	Loft	F/A	H/S	B/S	Ratio	L/A	H L/A	SPIN	SPIN AXIS	MAX HGHT DR.	MAX HGHT	VERT. LAND	B/S	F TIME	C-DISP	C-DIST	VEL
Ball: Pro V1 2013 (New)																						
Avg.	-1.4	-1.0	53.9	-2.0	13.6	0.3	94.1	139.6	1.5	11.0	0.1	3221.9	0.7	142.0	26.0	38.2	58.0	6.0	3.9	221.0	3.4	
S/D	0.4	0.4	0.3	0.1	0.5	0.6	0.3	0.5	0.0	0.3	0.5	126.8	0.9	2.0	1.3	1.6	1.6	0.2		4.2	1.1	
Ball: Pro V1 2013 5A																						
Avg.	-1.4	-1.6	53.3	-2.5	13.3	0.3	94.3	139.5	1.5	11.1	0.1	3118.3	0.1	140.8	26.9	40.6	54.8	6.2	18.6	217.6	4.1	
S/D	0.5	0.4	1.0	0.6	0.5	0.4	0.4	0.4	0.0	0.6	0.4	152.7	2.5	1.7	1.0	2.0	2.4	0.1		5.1	1.8	
Ball: Pro V1 2013 4A																						
Avg.	-1.5	-1.6	52.9	-2.7	13.1	0.3	94.3	139.3	1.5	10.9	0.0	3188.2	0.8	140.1	26.9	41.4	53.4	6.2	14.0	214.8	5.6	
S/D	0.5	0.3	0.6	0.3	0.3	0.5	0.6	0.3	0.0	0.3	0.5	74.7	1.6	1.5	0.8	1.1	1.1	0.1		3.1	1.7	
Ball: Pro V1 2013 3A																						
Avg.	-1.4	-1.7	52.9	-2.6	13.2	0.2	94.8	139.4	1.5	10.9	0.0	3138.4	1.0	141.6	25.5	39.1	55.3	6.1	7.4	217.7	3.7	
S/D	0.5	0.5	0.7	0.5	0.3	0.5	0.7	0.3	0.0	0.3	0.6	41.6	1.5	0.8	1.0	1.8	1.0	0.1		2.7	1.3	
Ball: Pro V1 2013 2A																						
Avg.	-1.2	-1.7	52.8	-2.7	13.1	0.1	94.5	139.2	1.5	10.9	-0.2	3113.7	0.8	140.5	26.4	40.6	54.1	6.2	13.6	215.3	5.5	
S/D	0.4	0.5	0.8	0.4	0.2	0.7	0.7	0.3	0.0	0.2	0.6	123.0	2.0	2.0	0.9	1.3	1.5	0.1		2.5	2.0	
Club: Ping																						
Head: 7 Iron																						
Ball: Pro V1 2013 (New)																						
Avg.	-2.7	0.5	62.7	-0.4	24.7	1.3	82.9	112.6	1.4	18.6	1.4	6832.0	-1.6	92.6	36.9	58.7	49.9	6.5	5.0	141.8	7.8	
S/D	0.7	0.6	1.2	0.8	0.4	0.3	0.3	0.6	0.0	0.6	0.3	252.4	1.5	2.2	0.7	2.5	1.6	0.1		4.8	1.6	
Ball: Pro V1 2013 5A																						
Avg.	-3.4	-0.7	61.3	-2.6	25.7	1.7	83.5	113.2	1.4	19.8	1.1	6705.2	-0.5	94.2	37.1	55.6	49.8	6.5	8.1	144.0	5.2	
S/D	0.1	0.3	0.4	0.4	0.3	0.5	0.1	0.5	0.0	0.2	0.4	202.9	1.7	1.7	1.8	3.0	1.8	0.2		4.8	2.3	
Ball: Pro V1 2013 4A																						
Avg.	-3.3	-0.7	61.3	-2.5	25.7	1.6	83.4	112.8	1.4	19.7	1.1	6762.2	-1.5	94.5	36.5	55.1	50.7	6.4	8.4	147.2	5.1	
S/D	0.1	0.3	0.5	0.4	0.5	0.7	0.1	0.4	0.0	0.5	0.5	129.5	1.6	1.6	1.6	2.5	3.8	0.2		3.6	1.6	
Ball: Pro V1 2013 3A																						
Avg.	-3.4	-0.7	61.2	-2.6	25.5	1.4	83.4	112.9	1.4	19.4	0.9	6922.1	-1.1	92.7	36.6	57.8	51.0	6.4	4.3	142.2	7.1	
S/D	0.1	0.2	0.5	0.3	0.3	0.5	0.1	0.3	0.0	0.4	0.4	160.2	1.0	1.5	0.8	2.5	3.2	0.1		2.7	1.7	
Ball: Pro V1 2013 2A																						
Avg.	-3.4	-0.8	61.1	-2.6	25.7	1.4	83.4	113.0	1.4	19.6	0.9	6868.9	-1.2	92.4	36.1	55.9	49.9	6.3	4.9	142.9	6.1	
S/D	0.1	0.2	0.6	0.3	0.2	0.3	0.1	0.4	0.0	0.3	0.2	161.6	0.8	1.6	0.6	1.7	2.7	0.1		4.3	2.0	